

AUG 05 2002

Mr. Wade Waters, Chair  
Savannah River Site Citizens Advisory Board  
308 Pinewood Drive  
Pooler, GA 31322

Dear Mr. Waters:

SUBJECT: Citizens Advisory Board (CAB) Recommendation Number 154 -- Full Scale  
Dynamic Underground Stripping (DUS)

Thank you for submitting the subject recommendation regarding Savannah River Site's  
(SRS) implementation of Dynamic Underground Stripping within the A/M Area.

SRS is working with the South Carolina Department of Health and Environmental  
Control to accelerate solvent cleanup in A/M Area. Utilizing aggressive source  
remediation technologies like DUS is one of several strategies used to achieve cost  
effective and innovative clean-up solutions at SRS. A formal baseline for the project is  
nearing completion. Once that is in place, decisions on the project will proceed in  
accordance with the DOE project management system. Your recommendations will be  
factored into that process.

If you have any questions, please call me or Cynthia Anderson, of my staff, at (803)  
725-3966.

Sincerely,

*Original Signed By  
Jeffrey M. Allison*

Jeffrey M. Allison  
Acting Manager

OD-02-024

bc:

Manager's Reading File  
AMEST Reading File  
ERD's Reading File  
Cynthia Anderson, ERD  
Michelle Ewart, ERD  
Gerri Flemming, STMD  
Chris Bergren, BSRI  
Dawn Haygood, WSRC (CAB Files)  
File Code: 1210.05.01