List of Figures

Figure 1-1	SRS Organization, 2018	1-2
Figure 1-2	The Savannah River Site and Surrounding Area	1-6
Figure 2-1	Integrated Safety Management System Continual Improvement Framework	
	within the ISO 14001 Environmental Management System	2-2
Figure 2-2	GSA Fuel Consumption by Type, FY 2008 to FY 2018	2-7
Figure 2-3	SRS Performance in Meeting Fleet Management and Transportation Goals	2-8
Figure 3-1	D-Area Ash Project Completion	3-4
Figure 3-2	Pathway for Processing and Dispositioning Radioactive Liquid Waste at SRS	3-5
Figure 4-1	Types and Typical Locations of Nonradiological Sampling	4-3
Figure 4-2	NPDES Industrial Wastewater Outfall Sampling Locations	4-5
Figure 4-3	NPDES Industrial Stormwater Outfall Sampling Locations	4-6
Figure 4-4	Nonradiological Surface Water Sampling Locations	4-8
Figure 4-5	Nonradiological Sediment Sampling Locations	4-10
Figure 4-6	Average Mercury Concentration of Fish Species in the Savannah River Adjacent	
	to the Savannah River Site	4-11
Figure 5-1	Types and Typical Locations of Radiological Sampling	5-3
Figure 5-2	10-Year History of SRS Annual Tritium Releases to the Air	5-7
Figure 5-3	Percent of Tritium Released to the Air for 2017 and 2018	5-8
Figure 5-4	Air Sampling Locations Surrounding SRS up to 25 Miles	5-9
Figure 5-5	Radiological Liquid Effluent Sampling Locations	5-15
Figure 5-6	10-Year History of Direct Releases of Tritium to SRS Streams	5-17
Figure 5-7	Radiological Surface Water Sampling Locations	5-18
Figure 5-8	10-Year Trend of Tritium in Pen Branch and Fourmile Branch (pCi/L)	5-21
Figure 5-9	Tritium Migration from SRS Seepage Basins and SWDF to SRS Streams	5-22
Figure 5-10	SRS Tritium Transport Summary	5-24
Figure 5-11	Offsite Drinking Water Sampling Locations	5-26
Figure 5-12	Tritium in Offsite Drinking Water and River Mile 141.5	5-27
Figure 5-13	Comparison of 2018 Cesium-137 Field Measurements to Laboratory Analysis	
	for Deer Muscle Samples	5-30
Figure 5-14	Historical Trend of Average Cesium-137 Concentrations in Deer Tissue (1965–2018).	5-31
Figure 6-1	Exposure Pathways to Humans from Air and Liquid Effluents	6-4
Figure 6-2	2007–2011 Wind Rose Plot for H Area	6-5
Figure 6-3	Savannah River Annual Average Flow Rates Measured by USGS at River Mile 118.8	6-6

List of Figures

Figure 6-4	Radionuclide Contributions to the 2018 SRS Total Liquid Pathway Dose of 0.19 mrem (0.0019 mSv)
Figure 6-5	Radionuclide Contributions to the 2018 SRS Total Air Pathway Dose of 0.082 mrem (0.00082 mSv)
Figure 6-6	10-Year History of SRS Maximum Potential All-Pathway Doses
Figure 7-1	Groundwater at SRS7-3
Figure 7-2	How Contamination Gets to Soil and Groundwater 7-4
Figure 7-3	Groundwater Plumes at SRS 7-6
Figure 7-4	Location of Site Boundary Wells at SRS—Between A/M Areas and
	Jackson, South Carolina
Figure 7-5	Location of Monitoring Wells Sampled for Tritium in Burke and
	Screven Counties, Georgia
Figure 7-6	Tritium Concentration in Wells Sampled in Burke and Screven Counties, Georgia 7-12
Figure 7-7	Solvent Removed from A/M Area Groundwater Plume7-14
Figure 8-1	Interrelationship between QA/QC Activities