

Appendix D: Radiological Environmental

Monitoring Program

Supplemental Information

Negative values are reported in tables in this appendix. Background counts are subtracted from the sample counts. Negative values occur when the background count is greater than the sample count. Background counts reflect naturally occurring radionuclides and cosmic radiation that is detected by laboratory instrumentation.

Appendix Table D-1 Summary of Radioactive Atmospheric Releases by Source

All values under the "Calculated" column through "Totals" column are reported in curies.^a

In the Calculated column, blanks indicate the radionuclide is not present. In the facility (Reactors, Separations, SRNL) columns, a blank indicates the radionuclide was not analyzed. A 0.00E+00 in the facility columns indicates the result was not significant.

Radioactive Atmospheric Releases by Source (Curies)^a

Radionuclide	Half-Life ^b		Calculated ^c	Reactors	Separations ^d	SRNL	Total
Gases and Vapors							
H-3 (oxide)	12.3	y	1.83E+02	9.91E+02	4.65E+03		5.82E+03
H-3 (elemental)	12.3	y			1.21E+03		1.21E+03
H-3 Total	12.3	y	1.83E+02	9.91E+02	5.85E+03		7.03E+03
C-14	5700	y	2.42E-08		5.00E-02		5.00E-02
Hg-203	46.6	d	5.42E-10				5.42E-10
Kr-85	10.8	y			7.37E+03		7.37E+03
I-129	1.57E+07	y	2.61E-05		4.14E-03	1.26E-06	4.16E-03
I-131	8.02	d	5.49E-10				5.49E-10
Particles							
Ag-110m	250	d	1.48E-11				1.48E-11
Am-241	432	y	1.12E-05	0.00E+00	8.24E-06		1.95E-05
Am-243	7370	y	4.24E-09				4.24E-09
Ba-133	10.5	y	6.90E-07				6.90E-07
Cd-109	461	d	1.05E-08				1.05E-08
Ce-139	138	d	4.73E-10				4.73E-10
Ce-141	32.5	d	4.94E-11				4.94E-11
Ce-144	285	d	2.00E-08				2.00E-08
Cm-243	29.1	y	1.76E-09				1.76E-09
Cm-244	18.1	y	2.76E-07	0.00E+00	2.61E-08		3.02E-07
Co-57	272	d	4.24E-10				4.24E-10
Co-60	5.27	y	6.37E-07	0.00E+00	0.00E+00	0.00E+00	6.37E-07
Cs-134	2.06	y	4.31E-07				4.31E-07
Cs-137	30.2	y	3.48E-03	0.00E+00	1.20E-03	0.00E+00	4.67E-03
Eu-152	13.5	y	8.96E-09				8.96E-09
Eu-154	8.59	y	3.56E-07				3.56E-07
Eu-155	4.76	y	1.18E-07				1.18E-07
Fe-55	2.74	y	3.64E-09				3.64E-09
Mn-54	312	d	4.24E-10				4.24E-10
Nb-94	2.03E+04	y	2.42E-07				2.42E-07
Nb-95	35.0	d	3.63E-07				3.63E-07
Ni-59	1.01E+05	y	5.76E-11				5.76E-11
Ni-63	100	y	7.26E-09				7.26E-09
Np-237	2.14E+06	y	1.54E-06	0.00E+00	1.52E-07		1.69E-06

Radioactive Atmospheric Releases by Source (Curies)^a (continued)

Radionuclide	Half-Life ^b		Calculated ^c	Reactors	Separations ^d	SRNL	Total
Pa-233	27.0	d	1.42E-06				1.42E-06
Pb-212	10.6	h	8.43E-07				8.43E-07
Pm-147	2.62	y	2.89E-06				2.89E-06
Pm-148m	41.3	d	1.90E-12				1.90E-12
Pr-144	17.3	m	2.00E-08				2.00E-08
Pu-236	2.86	y	5.30E-10				5.30E-10
Pu-238	87.7	y	3.14E-05	2.49E-10	3.69E-06		3.51E-05
Pu-239	2.41E+04	y	6.49E-05	0.00E+00	9.53E-05		1.60E-04
Pu-240	6560	y	7.69E-06				7.69E-06
Pu-241	14.4	y	2.07E-04				2.07E-04
Pu-242	3.75E+05	y	5.29E-06				5.29E-06
Ra-226	1600	y	2.95E-07				2.95E-07
Ra-228	5.75	y	3.12E-07				3.12E-07
Rh-106 ^(e)	29.8	s	3.04E-06		2.23E-05	2.79E-06	2.82E-05
Ru-103	39.3	d	5.11E-10				5.11E-10
Ru-106	374	d	3.04E-06		2.23E-05	2.79E-06	2.82E-05
Sb-125	2.76	y	1.18E-06				1.18E-06
Sb-126 ^(e)	12.4	d	1.70E-07				1.70E-07
Se-79	2.95E+05	y	4.90E-09				4.90E-09
Sm-151	90	y	2.89E-06				2.89E-06
Sn-113	115	d	6.05E-10				6.05E-10
Sn-123	129	d	6.66E-12				6.66E-12
Sn-126	2.30E+05	y	1.70E-07				1.70E-07
Sr-85	64.8	d	5.63E-10				5.63E-10
Sr-89	50.5	d	5.67E-10				5.67E-10
Sr-90	28.8	y	2.98E-03	0.00E+00	3.74E-05		3.02E-03
Tc-99	2.11E+05	y	5.09E-05				5.09E-05
Te-127	9.35	h	1.04E-11				1.04E-11
Te-129	69.6	m	1.05E-12				1.05E-12
Th-228	1.91	y	1.38E-08	2.99E-09			1.68E-08
Th-229	7340	y	1.23E-09				1.23E-09
Th-230	7.54E+04	y	7.87E-11	4.67E-09			4.75E-09
Th-231	25.5	h	2.12E-04				2.12E-04
Th-232	1.41E+10	y	3.62E-12	3.22E-09			3.22E-09
Tl-208	3.05	m	1.41E-06				1.41E-06
U-232	68.9	y	5.57E-09				5.57E-09
U-233	1.59E+05	y	3.74E-10				3.74E-10
U-234	2.46E+05	y	4.77E-07	2.97E-09	3.50E-05		3.54E-05
U-235	7.04E+08	y	2.36E-08	0.00E+00	2.19E-06		2.22E-06

Radioactive Atmospheric Releases by Source (Curies)^a (continued)

Radionuclide	Half-Life ^b		Calculated ^c	Reactors	Separations ^d	SRNL	Total
U-236	2.34E+07	y	3.01E-08				3.01E-08
U-238	4.47E+09	y	3.19E-07	2.42E-09	4.64E-05		4.67E-05
Y-88	107	d	4.38E-10				4.38E-10
Y-90 ^e	64.1	h	2.98E-03		3.74E-05		3.02E-03
Y-91	58.5	d	7.98E-10				7.98E-10
Zn-65	244	d	8.62E-10				8.62E-10
Zr-95	64.0	d	1.22E-07				1.22E-07
Unidentified alpha	N/A		3.99E-05	1.19E-05	9.05E-08	0.00E+00	5.19E-05
Unidentified beta	N/A		8.19E-04	4.24E-05	8.57E-05	4.17E-06	9.51E-04
TOTAL	N/A		1.83E+02	9.91E+02	1.32E+04	1.10E-05	1.44E+04

^a One curie equals 3.7E+10 Becquerels

^b ICRP 107, *Nuclear Decay Data for Dosimetric Calculations (2008)*

^c Estimated releases from unmonitored sources. Beginning in 2016, individual isotope annual releases below 1E-12 Ci (1 pCi) are no longer reported in this table and, therefore, not used in the dose calculations.

^d Includes separations, waste management, and tritium facilities

^e Daughter products (Sb-126, Rh-106 & Y-90) in secular equilibrium with source terms (Sn-126, Ru-106 & Sr-90, respectively). In MAXDOSE/POPDOSE, they are included in the source term and their ingrowth is included in their parents' source term.

Appendix Table D-2 Summary of Air Effluent DOE DCS Sum of Fractions

As discussed in Chapter 5, SRS evaluates the effluent monitoring program by comparing the annual average concentrations to the U.S. Department of Energy (DOE)-derived concentration standards (DCSs). DOE's *Derived Concentration Technical Standard*, DOE-STD-1196-2011 (DOE 2011) establishes numerical standards for DCSs to support implementing DOE Order 458.1. This table presents the air effluent DCS sum of fractions for continuously monitored sources. Discussion regarding the 291-F sum of fractions exceedance can be found in Section 5.3.2.1.

Facility (Sampling Location)	Radionuclides Included in the DCS Sum of Fractions	DCS Sum of Fractions	DCS Sum of Fractions Excluding Tritium
A Area (791-A Sandfilter Discharge)	Ru-106, I-129	3.23E-03	3.23E-03
C Area (C-Area Main Stack)	H-3 (oxide)	1.78E+00	0.00E+00
F Area (235-F Sandfilter Discharge)	U-234, U-238, Pu-238, Pu-239, Am-241	3.76E-03	3.76E-03
F Area (291-F Stack Isokinetic)	I-129, Cs-137, U-234, U-235, Np-237, U-238, Pu-238, Pu-239, Am-241, Cm-244	2.85E+00	2.85E+00
F Area (772-4F Stack)	U-234, U-238, Pu-238, Pu-239, Am-241, Cm-244	1.34E-03	1.34E-03
H Area (291-H Stack Isokinetic)	H-3 (oxide), C-14, Kr-85, Ru-106, I-129, Cs-137, U-234, U-238, Pu-238, Pu-239, Am-241, Cm-244	7.11E-01	6.19E-01
K Area (K-Area Main Stack)	H-3 (oxide)	1.74E+00	0.00E+00
L Area (L-Area Disassembly)	H-3 (oxide)	1.74E+00	0.00E+00
L Area (L-Area Main Stack)	H-3 (oxide)	1.75E+00	0.00E+00
Tritium (232-H)	H-3 (elemental), H-3 (oxide)	1.57E+01	0.00E+00
Tritium (233-H)	H-3 (elemental), H-3 (oxide)	2.16E+00	0.00E+00
Tritium (234-H)	H-3 (oxide)	3.05E+00	0.00E+00
Tritium (238-H)	H-3 (oxide)	9.38E-01	0.00E+00
Tritium (264-H)	H-3 (elemental), H-3 (oxide)	3.81E+00	0.00E+00

Appendix Table D-3 Summary of Tritium in Environmental Air

Samples were collected approximately every 2 weeks at each of the 14 locations, with site Barricade 8 added in October totaling 15 sites. Two samples were invalidated due to unexpected power loss: Augusta Lock & Dam July 30 to Aug. 13 and Aiken Airport April 23 to May 7. Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. The results at the following locations were all not detected: Site Perimeter (Jackson) and 25-Mile Radius (Augusta Lock & Dam, Aiken Airport, and Highway 301 @ State Line). The Highway 301 @ State Line location is the control location.

Location	Number of Detected Results	Mean Concentration (pCi/m ³)	Minimum Concentration (pCi/m ³)	Maximum Concentration (pCi/m ³)
Onsite				
Burial Ground North	26 of 26	2.86E+02	1.03E+02	5.73E+02
Site Perimeter				
Allendale Gate	1 of 26	3.38E+00	-3.92E+00	1.08E-01
Barnwell Gate	2 of 26	3.84E+00	-2.28E+00	1.94E+01
Barricade 8	2 of 5	5.85E+00	5.84E-01	1.18E+01
D Area	5 of 26	5.62E+00	-1.53E+00	1.64E+01
Darkhorse @ Williston Gate	1 of 26	3.68E+00	-1.74E-01	1.16E+01
East Talatha	2 of 26	5.23E+00	-2.63E+00	1.52E+01
Green Pond	3 of 26	5.92E+00	-6.65E-01	1.77E+01
Highway 21/167	3 of 26	5.56E+00	-2.04E+00	2.13E+01
Patterson Mill Road	2 of 26	3.10E+00	-5.70E+00	1.73E+01
Talatha Gate	3 of 26	6.61E+00	-2.58E-01	1.39E+01

Appendix Table D-4 Summary of Tritium in Rainwater

Samples were collected approximately every 4 weeks at each of the 14 locations, with site Barricade 8 added in October totaling 15 sites. Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. The results for all locations, except for Burial Ground North, were not detected. The Highway 301 @ State Line location is the control location.

Location	Number of Detected Results	Mean Concentration (pCi/L)	Minimum Concentration (pCi/L)	Maximum Concentration (pCi/L)
Onsite				
Burial Ground North	13 of 13	3.66E+03	9.65E+02	1.04E+04

Appendix Table D-5 Summary of Radionuclides in Environmental Air

Glass fiber filter samples were collected approximately every 2 weeks at each of the 14 locations, with site Barricade 8 added in October totaling 15 sites. Samples from all locations were analyzed biweekly for gamma emitting radionuclides, gross alpha, and gross beta. The onsite Burial Ground North is the only location where samples were analyzed for actinides and strontium-89/90 biweekly. Due to lab prep and analysis errors, the sample collected June 3 to 17 is missing results for all Uranium analytes, the sample collected June 30 to July 15 is missing all actinide analytes and Sr-89/90, and samples collected during October 21 to December 16 are missing Sr-89/90 at Burial Ground North. One sample from every perimeter location and 25-mile radius location was chosen for actinide and strontium-89/90 analysis based on elevated releases at F-Canyon stack during 2020. Highway 301 @ State Line was sampled 3 times since it was the control location and the 3 different sampling time periods were utilized.

Bolded concentration results were reported as detected. Concentrations not bolded indicate the result was less than the analytical method detection limit or that the uncertainty is large.

Cobalt-60 and cesium-137 results were not detected for any samples collected biweekly.

Biweekly Samples: All Locations

Radionuclide	Number of Detected Results	Location of Minimum Concentration	Minimum Concentration (pCi/m ³)	Location of Maximum Concentration	Maximum Concentration (pCi/m ³)
Gross Alpha	364 of 378	Augusta Lock & Dam	1.51E-04	East Talatha	3.70E-03
Gross Beta	368 of 368	Patterson Mill Road	4.3E-03	East Talatha	3.49E-02

Cm-244, U-235, and Sr-89/90 results were not detected for site Burial Ground North; thus, they were not reported in the table Biweekly Actinide and Sr-89/90 Samples.

Biweekly Actinide and Sr-89/90 Samples

Location: Burial Ground North				
Radionuclide	Number of Detected Results	Mean Concentration (pCi/m ³)	Minimum Concentration (pCi/m ³)	Maximum Concentration (pCi/m ³)
U-234	24 of 24	2.24E-05	1.15E-05	3.95E-05
U-238	24 of 24	2.06E-05	1.12E-05	3.73E-05
Pu-238	1 of 25	1.67E-06	-1.56E-06	8.81E-06
Pu-239	2 of 25	1.71E-06	-7.37E-07	6.95E-06
Am-241	14 of 25	6.14E-06	7.03E-07	1.57E-05

U-235, Pu-238, Pu-239, Sr-89/90, and Cm-244 results were not detected for the annual sites; thus, they were not reported in the table Annual Actinide and Sr-89/90 Samples.

Appendix Table D-5 Summary of Radionuclides in Environmental Air (continued)*Annual Actinide and Sr-89/90 Samples*

Location	Number of Samples	U-234	U-238	Am-241
		Concentration (pCi/m ³)	Concentration (pCi/m ³)	Concentration (pCi/m ³)
Allendale Gate	1	2.81E-05	3.41E-05	4.30E-06
Barnwell Gate	1	2.12E-05	1.31E-05	7.08E-06
Barricade 8	1	1.58E-05	1.71E-05	3.08E-06
D Area	1	1.46E-05	2.15E-05	5.30E-06
Darkhorse @ Williston Gate	1	3.19E-05	2.12E-05	1.06E-05
East Talatha	1	2.39E-05	2.68E-05	2.03E-06
Green Pond	1	3.97E-05	4.38E-05	6.65E-06
Highway 21/167	1	1.32E-05	1.34E-05	6.43E-06
Jackson	1	2.49E-05	3.03E-05	9.38E-06
Patterson Mill Road	1	1.55E-05	2.14E-05	1.75E-06
Talatha Gate	1	1.88E-05	3.30E-05	1.09E-05
Aiken Airport	1	1.84E-05	2.24E-05	3.14E-06
Augusta Lock and Dam 614	1	2.61E-05	2.81E-05	5.43E-06
Highway 301 @ State Line (Control Location)	3	1.32E-05	1.11E-05	4.19E-06
		3.38E-05	1.96E-05	3.68E-06
		2.89E-05	2.28E-05	2.57E-06

Appendix Table D-6 Summary of Gamma Surveillance

Samples were collected approximately every quarter (12 weeks) at each of the 50 locations. Typically, two samples are collected from each location. This was the case in 2020, except for Population Center locations Williston and McBean, where one sample was missing during the retrieval of first-quarter samples for Williston and third-quarter samples for McBean.

Station Location Type	Number of Stations	Quarter 1 Average mR/day	Quarter 2 Average mR/day	Quarter 3 Average mR/day	Quarter 4 Average mR/day	Annual Total Average mR/year	Annual Minimum mR/year	Annual Maximum mR/year
Population Centers	9	0.42	0.42	0.39	0.36	140.36	94	165
Site Perimeter	9	0.33	0.36	0.31	0.29	116.84	104	130
Air Surveillance Stations	14	0.35	0.38	0.33	0.31	124.14	102	156
Plant Vogtle Vicinity	18	0.33	0.35	0.31	0.29	116.26	75	143

Appendix D-7 Summary of Radionuclides in Soil

Soil samples were collected from 18 locations in 2020. Bolded values are detected results. Values not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large.

The following locations were sampled: F Area (2,000 feet West), H Area (2,000 ft East), Z Area (#3), Burial Ground Locations (643-26E-2 and Burial Ground North), Plant Perimeter Locations (Allendale Gate, Barnwell Gate, D Area, Darkhorse @ Williston Gate, East Talatha, Green Pond, Highway 21/167, Jackson, Patterson Mill Road, and Talatha Gate) and 25-Mile Radius Locations (Aiken Airport, Augusta Lock and Dam 614, and Highway 301 @ State Line). The Highway 301 @ State Line is the control location.

All Co-60, Sr 89/90, and Np-237 results were not detected; thus, they were not reported in this table.

Radionuclide	Number of Detected Results	Control Hwy 301 Concentration (pCi/g)	Location of Minimum Concentration	Minimum Concentration (pCi/g)	Location of Maximum Concentration	Maximum Concentration (pCi/g)
Cs-137	17 of 18	7.16E-02	Burial Ground (643-26E-2)	-2.95E-02	D Area	5.05E-01
U-234	18 of 18	1.32E+00	Aiken Airport	3.97E-01	Augusta Lock and Dam 614	1.86E+00
U-235	18 of 18	5.84E-02	Darkhorse @ Williston Gate	1.56E-02	Augusta Lock and Dam 614	8.70E-02
U-238	18 of 18	1.27E+00	Aiken Airport	3.11E-01	Augusta Lock and Dam 614	1.91E+00
Pu-238	5 of 18	-1.27E-04	Aiken Airport	-2.61E-04	F Area (2000 feet west)	4.54E-02
Pu-239	16 of 18	3.03E-03	Burial Ground (643-26E-2)	4.68E-04	F Area (2000 feet west)	5.59E-02
Am-241	15 of 18	2.52E-03	Aiken Airport	3.05E-04	F Area (2000 feet west)	1.19E-02
Cm-244	2 of 18	8.68E-04	Darkhorse @ Williston Gate	-4.38E-04	Jackson	2.26E-03
Gross Beta	16 of 18	1.36E+01	East Talatha	2.95E+00	Burial Ground (643-26E-2)	2.29E+01
Gross Alpha	18 of 18	1.18E+01	Aiken Airport	4.30E+00	F Area (2000 feet west)	1.57E+01

Appendix Table D-8 Summary of Radionuclides in Grassy Vegetation

Samples are collected annually from 14 locations. Bolded values are detected results. Values not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. All results for Co-60, U-235, Np-237, Pu-239, Cm-244, and gross alpha were not detected; thus, they were not reported in this table.

The following locations are sampled: Control (Highway 301 @ State line), Onsite location (Burial Ground North), Site Perimeter locations (Allendale Gate, Barnwell Gate, D Area, Darkhorse @ Williston Gate, East Talatha, Green Pond, Highway 21/167, Jackson, Patterson Mill Road, Talatha Gate), and 25-Mile Radius Locations (Aiken Airport and the Augusta Lock and Dam 614).

Radionuclide	Number of Detected Results	Control (Highway 301) Concentration (pCi/g)	Location of Minimum Concentration	Minimum Concentration (pCi/g)	Location of Maximum Concentration	Maximum Concentration (pCi/g)
H-3	3 of 14	-2.62E-02	Augusta Lock & Dam 614	-1.50E-02	Burial Ground North	8.49E+00
Cs-137	10 of 14	-2.15E-02	Burial Ground North	-1.74E-02	Allendale Gate	2.64E-01
Sr-89/90	13 of 14	2.55E-02	Augusta Lock and Dam 614	6.11E-02	Darkhorse @ Williston Gate	5.38E-01
U-234	12 of 14	1.83E-03	East Talatha	8.00E-04	Green Pond	1.41E-02
U-238	13 of 14	1.68E-03	Burial Ground North	5.95E-04	Green Pond	1.65E-02
Pu-238	1 of 14	2.11E-04	Allendale Gate	-1.55E-04	Patterson Mill Road	9.08E-04
Am-241	3 of 14	1.63E-04	Patterson Mill Road	-1.72E-04	Augusta Lock & Dam 614	5.32E-04
Tc-99	12 of 14	2.41E-01	East Talatha	1.68E-01	Allendale Gate	5.68E-01
Gross Beta	14 of 14	2.58E+01	Highway 21/167	3.14E+00	Augusta Lock & Dam 614	2.55E+01

Appendix Table D-9 Summary of Radionuclides in Foodstuffs

Samples of five foodstuffs are collected annually from five regions surrounding SRS. Beef, greens, and fruit are collected each year. Six foodstuffs are collected on a rotating three-year cycle. Peanuts and soybeans were the rotational crop samples collected in 2020. Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit, or the uncertainty is large.

Food Type	Nuclide	Number of Samples	Number of Results > Detection Limit	Mean Sample Concentration (pCi/g)	Minimum Sample Concentration (pCi/g)	Maximum Sample Concentration (pCi/g)
Beef	Am-241	4	2	2.13E-02	-1.70E-04	3.99E-02
	Gross Beta	4	4	1.86E+03	1.61E+03	2.44E+03
	Pu-238	4	1	4.71E-02	5.43E-03	1.12E-01
Cm-244, Co-60, Cs-137, Gross Alpha, H-3, Np-237, Pu-239, Sr-89/90, Tc-99, U-234, U-235 and U-238 were not detected in beef.						
Greens	Cs-137	5	2	9.95E+00	-2.65E-01	1.84E+01
	Gross Beta	5	5	8.58E+03	6.37E+03	9.90E+03
	Pu-239	5	1	2.64E-01	7.91E-02	5.33E-01
	Sr-89/90	5	4	1.17E+02	3.88E+01	1.92E+02
	Tc-99	5	5	9.73E+02	5.32E+02	1.74E+03
	U-234	5	5	1.34E+01	2.42E+00	3.32E+01
	U-235	5	2	6.50E-01	-1.57E-01	1.88E+00
	U-238	5	5	1.42E+01	2.01E+00	3.59E+01
Am-241, Cm-244, Co-60, Gross Alpha, H-3, Np-237, and Pu-238 were not detected in greens.						
Fruit (watermelon)	Gross Beta	5	5	5.00E+02	3.62E+02	6.86E+02
	Pu-238	5	2	6.50E-02	-1.56E-02	1.40E-01
Am-241, Cm-244, Co-60, Cs-137, Gross Alpha, H-3, Np-237, Pu-239, Sr-89/90, Tc-99, U-234, U-235, and U-238 were not detected in fruit.						
Peanuts	Gross Beta	5	5	7.63E+03	5.51E+03	1.42E+04
	Np-237	5	1	6.36E-01	6.36E-01	6.36E-01
	Tc-99	5	1	1.02E+02	-5.04E+01	3.62E+02
	U-234	5	1	9.52E-01	9.52E-01	9.52E-01
Am-241, Cm-244, Co-60, Cs-137, Gross Alpha, H-3, Pu-238, Pu-239, Sr-89/90, U-235 and U-238 were not detected in peanuts.						
Soybeans	Am-241	5	3	8.15E-01	5.19E-01	1.38E+00
	Cs-137	5	2	6.69E+00	3.00E+00	1.01E+01
	Gross Beta	5	5	1.19E+04	4.09E+03	1.50E+04
	Sr-89/90	5	1	4.04E+01	2.29E+01	6.91E+01
	Tc-99	5	4	2.89E+02	9.77E+01	3.67E+02
	U-234	5	4	5.10E+00	1.31E+00	1.49E+01
	U-238	5	4	5.08E+00	9.06E-01	1.52E+01
Cm-244, Co-60, Gross Alpha, H-3, Np-237, Pu-238, Pu-239, and U-235 were not detected in soybeans.						

Appendix Table D-10 Summary of Radionuclides in Dairy

SRS collects cow and goat milk samples from dairies in communities surrounding the Site. The number listed in parentheses in the "location" column indicates the number of dairies in the named state that provide samples to SRS.

Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. All Co-60 and H-3 results were not detected and, thus, not reported in this table.

Location	Nuclide	Number of Samples	Number of Results > Detection Limit	Mean Sample Concentration (pCi/L)	Minimum Sample Concentration (pCi/L)	Maximum Sample Concentration (pCi/L)
SC–Dairies (4)						
cow milk	Cs-137	16	2	2.88E+00	2.27E-01	1.04E+01
GA–Dairies (3)						
cow milk	Cs-137	11	2	1.47E+00	-4.71E-02	4.52E+00
SC–Dairies (4)						
cow milk	Sr-90	16	5	4.43E-01	--1.14E+00	2.52E+00
GA–Dairies (3)						
cow milk	Sr-90	11	1	7.12E-01	-9.08E-01	1.81E+00

Appendix Table D-11 Radiation in Liquid Source Releases

All values under the “Reactors,” “Separations,” “SRNL,” and the “Totals” column are reported in curies.^a

Tritium is the main contributing radionuclide in liquid source releases. Although the remaining radionuclides are contributors, their contributions in liquid source releases are minimal.

In the facility (Reactor, Separations, SRNL) columns, a blank indicates the radionuclide was not analyzed. A 0.00E+00 in the facility columns indicates the result was not significant.

All Co-60 results were not detected; thus, they were not reported in this table.

Radionuclide	Half-Life		Reactors (Ci)	Separations ^c	SRNL (Ci)	Totals (Ci)
	Time Interval ^b					
H-3 ^d	12.3	y	1.39E+02	3.80E+02	1.73E-02	5.19E+02
C-14	5,700	y		3.62E-05	4.95E-04	5.32E-04
Sr-90	28.8	y	3.73E-05	1.43E-01		1.43E-01
Tc-99	2.11E+05	y		3.57E-02	1.90E-04	3.59E-02
I-129	1.57E+07	y		2.87E-02	0.00E+00	2.87E-02
Cs-137 ^e	30.2	y	0.00E+00	2.49E-01	0.00E+00	2.49E-01
Ra-226	1,600	y		2.50E-03		2.50E-03
U-234	2.46E+05	y		2.55E-02	7.47E-05	2.56E-02
U-235	7.04E+08	y		1.03E-03	2.91E-06	1.03E-03
U-238	4.47E+09	y		2.92E-02	6.06E-05	2.93E-02
Np-237	2.14E+06	y		1.05E-04		1.05E-04
Pu-238	87.7	y		9.58E-05	4.37E-06	1.00E-04
Pu-239	2.41E+04	y		7.89E-06	0.00E+00	7.89E-06
Am-241	432	y		1.11E-04		1.11E-04
Cm-244	18.1	y		1.79E-05		1.79E-05
Alpha ^f	N/A		4.93E-03	2.03E-03	3.71E-04	7.33E-03
Beta-Gamma ^g	N/A		5.41E-02	2.97E-03	6.08E-04	5.77E-02
					Sum	5.19E+02

^a One curie equals 3.7E+10 becquerels

^b ICRP 107, *Nuclear Decay Data for Dosimetric Calculations* (2008). Half-life time intervals are given in years (y).

^c Includes separations, waste management, and tritium processing facilities.

^d The tritium release total, which includes direct + migration releases, is used in the dose calculations for SRS impacts.

^e Depending on which value is higher, the Cs-137 release total is based on concentrations measured in Steel Creek mouth fish near RM 141.5 or on the actual measured effluent release total from the Site. Refer to Chapter 6, *Radiological Dose Assessment*, for more information.

^{f,g} For dose calculations, unidentified alpha and beta/gamma releases are assumed to be Pu-239 and Sr-90, respectively.

Appendix Table D-12 Summary of Liquid Effluent DOE DCS Sum of Fractions by Facility

Facility (Sampling Location)	Radionuclides Included in The Sum of Fractions	DCS Sum of Fractions	DCS Sum of Fractions Excluding Tritium
A Area (TB-2 Outfall at Road 1A)	H-3, C-14, U-234, U-235, U-238, Pu-238, Tc-99	7.95E-04	7.09E-04
F Area (F-013 200-F Cooling Basin)	H-3, Cs-137, U-234, U-238, Pu-238, Pu-239, Am-241	5.46E-03	5.08E-03
F Area (F-05)	H-3, Sr-89/90, I-129, U-234, U-238, Pu-238, Pu-239, Am-241, Cm-244, Tc-99	8.75E-03	8.46E-03
F Area (FM-3 F-Area Effluent)	H-3, U-234, U-238, Pu-238, Pu-239, Am-241, Tc-99	9.08E-04	5.31E-04
F-Tank Farm (F-012 281-8F Retention Basin)	H-3, Sr-89/90, Cs-137, U-234, Pu-238, Tc-99	7.53E-03	7.14E-03
G-010 (Central Sanitary Wastewater Treatment Facility)	H-3, Sr-89/90, Cs-137, U-234, U-238, Pu-238, Am-241, Cm-244, Tc-99	3.62E-01	3.61E-01
H Area (FM-1C H-Area Effluent)	H-3, Sr-89/90, U-234, Np-237, U-238, Pu-238, Pu-239, Am-241, Cm-244	4.46E-03	3.28E-03
H Area (H-004)	H-3, U-234, U-238, Pu-238	2.61E-03	4.22E-04
H-ETP (U3R-2A ETP Outfall at Road C)	H-3, C-14, Cs-137, U-238, Pu-238, Pu-239	6.35E-01	6.72E-03
H-Tank Farm (H-017 281-8H Retention Basin)	H-3, Sr-89/90, Cs-137, U-234, Pu-238, Pu-239, Am-241, Tc-99	1.28E-02	1.22E-02
H-Tank Farm (HP-52 H-Area Tank Farm)	H-3, U-234, U-238, Pu-238, Pu-239 Am-241	1.65E-03	2.15E-04
K Area (K Canal)	H-3, Sr-89/90	2.16E-04	1.54E-04
L Area	H-3	9.77E-05	0.00
S Area (S-004)	H-3, U-234, U-238	1.05E-03	1.45E-04
Tritium (HP-15 Tritium Facility Outfall)	H-3, Sr-89/90	6.66E-03	1.29E-04

Appendix Table D-13 Summary of Radionuclides in Sediments

SRS collected annual sediment samples at 39 locations in 2020—11 Savannah River, 20 stream, and 8 stormwater basins, totaling 453 analytes. Locations sampled are as follows: Savannah River locations (mouths of Beaver Dam Creek [BDC] and Steel Creek [SC], River Miles [RM] 118.7, 129, 134, 150.2, 150.4, 151, 157.2, and 170.5), SRS Stream locations (downstream of R-1, FM-2, FM-3A, FM-A7, FM-A7A, FMC @ Rd A, FMC Swamp, L3R-1A, L3R-2, McQB at MO, McQB below Z Basin, PB @ Rd A, PB Swamp, SC-2A, SC-4, TB-5, U3R-3, and U3R-4), and SRS Stormwater Basin locations (E-001, E-002, E-003, E-004, E-05, E-06, Pond 400, and Z-Basin). The control location for the river samples is RM 161.0. The control locations for the stream and stormwater basin sediment samples are TC-1 and U3R-1A.

Bolded concentration results were reported as detected. Concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large.

River Sediment Results*10 River Locations Plus 1 Control*

(Some locations only sampled for Cs-137, Co-60, gross alpha and nonvolatile beta)

Analyte	Number > DL	Control RM 161.0 (pCi/g)	Location of Maximum Result	Maximum Result (pCi/g)
Americium-241	0 of 9	1.49E-03	All < MDA	All < MDA
Cesium-137	8 of 11	1.00E-01	SC RM	1.43E+00
Cobalt-60	0 of 11	5.13E-02	All < MDA	All < MDA
Curium-243/244	0 of 9	1.29E-03	All < MDA	All < MDA
Gross Alpha	11 of 11	1.33E+01	RM 150.4	2.10E+01
Neptunium-237	0 of 9	1.50E-03	All < MDA	All < MDA
Nonvolatile Beta	11 of 11	4.24E+01	RM 134	2.79E+01
Plutonium-238	1 of 9	1.25E-03	RM 129	2.16E-03
Plutonium-239/240	3 of 9	2.73E-03	RM 157.2	4.71E-03
Strontium -90	2 of 9	1.25E-01	RM-151	1.59E-01
Uranium-233/234	7 of 9	1.54E-00	BDC RM	2.29E+00
Uranium-235	9 of 9	7.79E-02	BDC RM	1.49E-01
Uranium-238	9 of 9	1.57E+00	BDC RM	2.44E+00

Appendix Table D-13 Summary of Radionuclides in Sediments (continued)

Stream Sediment Results

18 Stream Locations Plus 2 Controls

(Some locations only sampled for Cs-137, Co-60, gross alpha and nonvolatile beta)

Analyte	Number >DL	Control TC-1 (pCi/g)	Control U3R-1A (pCi/g)	Location of Maximum Result	Maximum Result (pCi/g)
Americium-241	13 of 16	1.07E-03	2.80E-03	FMC Swamp	8.52E-02
Cesium-137	17 of 20	4.34E-02	1.03E-01	Downstream of R-1	1.04E+02
Cobalt-60	0 of 20	3.39E-02	6.58E-02	All < MDA	All < MDA
Curium-243/244	6 of 16	1.14E-03	1.34E-03	FMC Swamp	6.87E-02
Gross Alpha	20 of 20	1.01E+01	2.70E+01	TB-5	2.50E+01
Neptunium-237	3 of 16	1.99E-03	2.06E-03	FMC Swamp	6.51E-03
Nonvolatile Beta	20 of 20	5.50E+00	2.01E+01	Downstream of R-1	1.28E+02
Plutonium-238	9 of 16	1.58E-03	1.61E-03	FM-2	6.66E-01
Plutonium-239/240	12 of 16	2.06E-03	4.55E-03	FM-A-7A	7.35E-02
Strontium-90	2 of 16	1.25E-01	1.26E-01	FMC Swamp	1.17E-00
Uranium-233/234	8 of 16	1.23E+00	1.35E+00	FM-A7	2.72E+00
Uranium-235	14 of 16	5.38E-02	7.58E-02	TB-5	2.11-01
Uranium-238	14 of 16	1.32E+00	1.45E+00	TB-5	4.06E+00

Stormwater Basin Sediment Results

Eight Basin Locations Plus Two Controls

Analyte	Number >DL	Control TC-1 (pCi/g)	Control U3R-1A (pCi/g)	Location of Maximum Result	Maximum Result (pCi/g)
Americium-241	5 of 10	1.07E-03	2.80E-03	E-002	1.70E-01
Cesium-137	6 of 10	4.34E-02	1.03E-01	Z Basin	5.03E+02
Cobalt-60	0 of 10	3.39E-02	6.58E-02	All < MDA	All < MDA
Curium-243/244	3 of 10	1.14E-03	1.34E-03	E-001	9.07-03
Gross Alpha	10 of 10	1.01E+01	2.70E+01	Pond 400	3.55E+01
Neptunium-237	0 of 10	1.99E-03	2.06E-03	All < MDA	All < MDA
Nonvolatile Beta	10 of 10	5.50E+00	2.01E+01	Z Basin	1.18E+02
Plutonium-238	4 of 10	1.58E-03	1.61E-03	E-001	2.34E-01
Plutonium-239/240	5 of 10	2.06E-03	4.55E-03	E-002	4.60E-02
Strontium-90	2 of 10	1.25E-01	1.26E-01	E-003	1.77E+00
Uranium-233/234	9 of 10	1.23E+00	1.35E+00	Pond 400	2.52E+00
Uranium-235	9 of 10	5.38E-02	7.58E-02	Pond 400	1.38-01
Uranium-238	10 of 10	1.32E+00	1.45E+00	Pond 400	2.52E+00

Appendix Table D-14 Summary of Radionuclides in Drinking Water

Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large.

Samples at the treatment plants are collected monthly. These samples are analyzed for tritium, Co-60, Cs-137, gross alpha and gross beta. For the treatment plants samples, all results for Co-60, Cs-137, and gross alpha were below detection limits; thus, they are not presented in the table below. Samples are collected at one onsite location quarterly for tritium, Co-60, Cs-137, gross beta and gross alpha analyses, and collected annually for Sr-90 and actinides analyses. All other onsite locations are collected annually. For the quarterly onsite samples, all results for tritium, Co-60, and Cs-137 were below detection limits; thus, they are not presented in the table below. For the onsite annual samples, all results for tritium, Co-60, Cs-137, U-235, Pu-238, Pu-239, and Cm-244 were below detection limits; thus, they are not presented in the table below.

Treatment Plants—Finished Water Summary

Tritium					
Locations	Number of Samples	Number of Detects	Mean Concentration (pCi/L)	Minimum Concentration (pCi/L)	Maximum Concentration (pCi/L)
BJWSA Purrysburg WTP	12	9	2.29E+02	-1.15E+01	6.97E+02
North Augusta Public Water Works	12	4	8.16E+01	-9.78E+00	1.63E+02

Gross Beta					
Locations	Number of Samples	Number of Detects	Mean Concentration (pCi/L)	Minimum Concentration (pCi/L)	Maximum Concentration (pCi/L)
BJWSA Purrysburg WTP	12	12	1.88E+00	1.23E+00	2.17E+00
North Augusta Public Water Works	12	12	1.74E+00	1.31E+00	2.48E+00

Appendix Table D-14 Summary of Radionuclides in Drinking Water (continued)*Onsite Location Summary—Quarterly Samples*

Gross Beta					
Location	Number of Samples	Number of Detects	Mean Concentration (pCi/L)	Minimum Concentration (pCi/L)	Maximum Concentration (pCi/L)
782-3A quarterly	4	4	1.54E+00	1.15E+00	1.91E+00

Gross Alpha					
Location	Number of Samples	Number of Detects	Mean Concentration (pCi/L)	Minimum Concentration (pCi/L)	Maximum Concentration (pCi/L)
782-3A quarterly	4	4	9.44E-01	4.16E-01	1.54E+00

Onsite Location Summary—Annual Samples

		Sr-89/90	U-234	U-238	Am-241
Location	Number of Samples	Concentration (pCi/L)	Concentration (pCi/L)	Concentration (pCi/L)	Concentration (pCi/L)
617-8G	1	-1.51E-01	1.26E-02	2.84E-03	3.32E-03
681-3G Dom. Water Faucet	1	2.53E-01	-1.04E-05	3.49E-03	2.65E-03
704-16G	1	-1.98E-01	-1.21E-03	-2.41E-03	2.37E-03
709-1G	1	3.46E-01	3.32E-03	-2.22E-03	2.53E-03
737-G	1	6.76E-01	7.00E-03	3.76E-03	4.73E-03
782-3A (annual)	1	4.32E-02	2.09E-02	3.49E-02	1.06E-02
905-112G Well	1	-8.16E-02	1.47E-02	1.41E-02	8.81E-03
905-113G Well	1	-3.27E-02	1.09E-02	2.04E-02	1.16E-02
905-125B	1	1.31E-01	1.45E-02	3.08E-02	6.46E-03
905-67B	1	3.84E-01	9.59E-03	2.92E-02	1.09E-02

Appendix Table D-14 Summary of Radionuclides in Drinking Water (continued)*Onsite Location Summary—Annual Samples (continued)*

Location	Number of Samples	Gross Beta	Gross Alpha
		Concentration (pCi/L)	Concentration (pCi/L)
617-8G	1	9.49E-01	1.90E-01
681-3G Dom. Water Faucet	1	4.76E+00	4.16E+00
704-16G	1	1.46E+00	1.14E+00
709-1G	1	1.98E+00	-2.11E-02
737-G	1	1.24E+00	1.69E-01
782-3A (annual)	1	1.15E+00	4.16E-01
905-112G Well	1	1.02E+00	6.76E-01
905-113G Well	1	1.21E+00	9.97E-01
905-125B	1	1.28E+00	1.23E+00
905-67B	1	1.46E+00	1.15E+00

Appendix Table D-15 Summary of Radionuclides in Freshwater Fish

Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. Sr-89/90 is the only analysis performed in both flesh (edible) and bone (nonedible) samples. All Co-60, I-129, and gross alpha results were nonsignificant and, thus, not reported in this table.

The analyte mean is set to zero if all composite values per fish species at a single location are less than the MDL or the uncertainty is large. Three composite samples were analyzed for each fish type from each location.

Cs-137 (Edible)												
Location	Bass			Catfish			Flathead			Panfish		
	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)
Augusta L&D	2.04E+01	1.04E+01	3.02E+01	1.70E+01	1.51E+01	1.85E+01	NA	NA	NA	9.20E+00	-1.55E+00	2.21E+01
Four Mile Creek River Mouth	7.13E+01	3.46E+01	1.35E+02	1.07E+02	5.02E+01	1.51E+02	4.37E+01	3.32E+01	4.98E+01	3.07E+01	2.46E+01	3.90E+01
Hwy 301 Bridge Area	2.28E+01	2.11E+01	2.49E+01	2.76E+01	2.46E+01	3.21E+01	2.44E+01	2.19E+01	2.83E+01	1.17E+01	9.83E+00	1.39E+01
Lower Three Runs Creek River Mouth	3.55E+01	1.63E+01	6.66E+01	1.65E+02	2.21E+01	3.96E+02	1.78E+02	1.22E+02	2.47E+02	3.29E+01	1.57E+01	4.99E+01
Steel Creek River Mouth	4.50E+02	7.39E+01	7.63E+02	7.68E+01	7.37E+01	7.98E+01	1.14E+02	8.85E+01	1.28E+02	1.12E+02	6.85E+00	2.97E+02
Upper Three Runs Creek River Mouth	3.34E+01	1.28E+01	7.32E+01	2.61E+01	1.86E+01	3.13E+01	3.88E+01	2.71E+01	4.52E+01	3.58E+01	1.96E+01	5.73E+01

Appendix Table D-15 Summary of Radionuclides in Freshwater Fish (continued)

Sr-89/90 (Edible)												
Location	Bass			Catfish			Flathead			Panfish		
	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)
Augusta L&D	8.46E-01	2.28E-01	1.18E+00	1.08E+00	9.22E-01	1.36E+00	NA	NA	NA	2.63E+00	-3.95E-01	5.68E+00
Four Mile Creek River Mouth	2.31E+00	1.47E+00	3.14E+00	5.25E+00	3.25E+00	6.68E+00	3.32E-01	-5.57E-01	1.22E+00	6.98E+00	3.87E+00	1.10E+01
Hwy 301 Bridge Area	2.06E+00	5.07E-01	4.25E+00	1.01E+00	-4.57E-01	2.60E+00	1.02E+00	8.25E-02	2.62E+00	5.84E+00	3.37E+00	9.88E+00
Lower Three Runs Creek River Mouth	3.06E+00	2.83E+00	3.21E+00	1.53E+00	-6.62E-03	3.38E+00	4.60E-01	-2.25E+00	2.11E+00	9.14E-01	5.03E-01	1.15E+00
Steel Creek River Mouth	2.28E+00	1.28E+00	2.92E+00	1.23E+00	1.08E+00	1.38E+00	5.44E-01	-1.69E+00	2.87E+00	3.89E-01	-4.12E-01	1.51E+00
Upper Three Runs Creek River Mouth	3.31E+00	1.45E+00	4.90E+00	3.73E+00	8.08E-01	6.08E+00	2.58E+00	1.71E+00	4.04E+00	2.23E+00	-1.99E+00	6.44E+00

Sr-89/90 (Nonedible)												
Location	Bass			Catfish			Flathead			Panfish		
	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)
Augusta L&D	5.26E+02	3.86E+02	6.38E+02	5.74E+02	4.75E+02	6.56E+02	NA	NA	NA	5.86E+02	5.55E+02	6.31E+02
Four Mile Creek River Mouth	1.04E+03	9.83E+02	1.13E+03	1.13E+03	6.60E+02	1.69E+03	7.80E+02	2.05E+00	8.94E+02	8.81E+02	7.45E+02	1.04E+03
Hwy 301 Bridge Area	4.98E+02	2.98E+02	6.58E+02	5.46E+02	4.99E+02	5.82E+02	5.90E+02	4.77E+02	6.92E+02	5.60E+02	5.25E+02	6.23E+02
Lower Three Runs Creek River Mouth	6.72E+02	5.74E+02	7.98E+02	7.97E+02	6.43E+02	1.04E+03	5.54E+02	4.99E+02	6.54E+02	8.05E+02	6.70E+02	9.95E+02
Steel Creek River Mouth	1.10E+03	7.37E+02	1.66E+03	7.55E+02	4.83E+02	1.10E+03	6.50E+02	4.65E+02	8.47E+02	6.64E+02	5.86E+02	7.84E+02
Upper Three Runs Creek River Mouth	7.17E+02	6.14E+02	7.79E+02	6.78E+02	6.33E+02	7.51E+02	6.18E+02	4.70E+02	7.82E+02	6.91E+02	6.46E+02	7.71E+02

Appendix Table D-15 Summary of Radionuclides in Freshwater Fish (continued)

Tc-99 (Edible)												
Location	Bass			Catfish			Flathead			Panfish		
	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)
Augusta L&D	3.93E+01	2.22E+01	5.50E+01	4.51E+01	3.28E+01	6.17E+01	NA	NA	NA	4.64E+01	2.22E+01	8.73E+01
Four Mile Creek River Mouth	-5.67E-01	-1.43E+01	1.26E+01	-8.67E-01	-5.64E+00	6.51E+00	7.00E-01	-1.97E+01	1.18E+01	1.80E+01	1.44E+01	2.26E+01
Hwy 301 Bridge Area	1.70E+02	1.27E+02	2.04E+02	9.36E+01	1.27E+01	2.30E+02	1.61E+02	1.39E+02	1.78E+02	1.06E+02	3.83E+01	2.02E+02
Lower Three Runs Creek River Mouth	3.08E+01	2.41E+01	3.41E+01	6.45E+01	5.49E+01	7.08E+01	2.85E+01	2.58E+01	3.20E+01	3.65E+01	2.71E+01	4.37E+01
Steel Creek River Mouth	2.98E+00	-9.34E+00	2.56E+01	1.54E+01	-2.52E+01	6.91E+00	-2.22E+01	-4.14E+01	-8.13E+00	-2.26E+01	-3.25E+01	-1.02E+01
Upper Three Runs Creek River Mouth	6.67E+01	4.50E+01	8.63E+01	9.60E+01	6.39E+01	1.16E+02	1.00E+02	6.24E+01	1.41E+02	5.85E+01	3.59E+01	8.95E+01
Gross Beta (Edible)												
Location	Bass			Catfish			Flathead			Panfish		
	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)
Augusta L&D	2.19E+03	1.83E+03	2.67E+03	2.31E+03	2.12E+03	2.55E+03	NA	NA	NA	1.86E+03	1.66E+03	2.00E+03
Four Mile Creek River Mouth	2.39E+03	2.22E+03	2.51E+03	2.47E+03	2.36E+03	2.60E+03	2.82E+03	2.42E+03	3.08E+03	1.83E+03	1.45E+03	2.19E+03
Hwy 301 Bridge Area	1.66E+03	1.39E+03	1.88E+03	1.79E+03	1.51E+03	2.05E+03	2.43E+03	2.36E+03	2.53E+03	1.47E+03	1.21E+03	1.99E+03
Lower Three Runs Creek River Mouth	2.42E+03	2.28E+03	2.59E+03	2.60E+03	2.41E+03	2.79E+03	2.36E+03	2.09E+03	2.66E+03	1.92E+03	1.76E+03	2.11E+03
Steel Creek River Mouth	2.75E+03	2.37E+03	2.99E+03	2.65E+03	2.43E+03	2.93E+03	1.88E+03	1.05E+03	2.30E+03	2.46E+03	2.10E+03	2.69E+03
Upper Three Runs Creek River Mouth	2.27E+03	2.11E+03	2.39E+03	2.61E+03	2.53E+03	2.67E+03	2.77E+03	2.59E+03	3.08E+03	2.20E+03	1.94E+03	2.43E+03

Appendix Table D-16 Summary of Radionuclides in Saltwater Fish

Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. Sr-89/90 is the only analysis performed in both flesh (edible) and bone (nonedible) samples. Results of all samples for Co-60, gross alpha, I-129, Sr-89/90 (in flesh and bone), and Tc-99 were below method detection limits.

All saltwater fish are collected at the location designated as River Miles 0–8 (mouth of Savannah River).

Marine Mullet					
Analyte	Number of Samples	Number of Results > Detection Limit	Mean (pCi/kg)	Minimum (pCi/kg)	Maximum (pCi/kg)
Cs-137	3	1	9.08E+00	3.05E-02	2.20E+01
Gross Beta	3	3	1.40E+03	1.25E+03	1.53E+03

Appendix Table D-17 Summary of Radionuclides in Shellfish

Bolded minimum and maximum concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. All Cs-137, Co-60, I-129, Sr-89/90 and Tc-99 results were not detected; thus, they were not reported in this table.

All shellfish are collected at the location designated as River Miles 0-8 (at the mouth of Savannah River).

The species of shellfish collected in 2020 were shrimp and crab.

Nuclide	Number of Samples	Number of Results > Detection Limit	Mean Concentration (pCi/kg)	Minimum Concentration (pCi/kg)	Maximum Concentration (pCi/kg)
Gross Alpha	2	1	1.98E+02	9.70E+01	2.99E+02
Gross Beta	2	2	1.13E+03	5.38E+02	1.72E+03

Appendix Table D-18 Summary of Radionuclides in Wildlife

Bolded concentration results were reported as detected. Minimum and maximum concentrations not bolded indicate the result was less than the analytical method detection limit or the uncertainty is large. All Co-60 results were below detection limits and, thus, are not reported in this table.

Sample Type	Nuclide	Number of Samples	Number of Results > Detection Limit	Mean Sample Concentration (pCi/g)	Minimum Sample Concentration (pCi/g)	Maximum Sample Concentration (pCi/g)
Deer Flesh	Cs-137	41	41	9.55E-01	2.88E-01	4.79E+00
Hog Flesh	Cs-137	6	6	2.50E+00	4.39E-01	9.57E00
Deer Flesh	Sr-89/90	41	6	1.85E-03	-2.39E-03	8.90E-03
Hog Flesh	Sr-89/90	6	0	1.65E-03	-1.75E-04	5.07E-03
Deer Bone	Sr-89/90	41	41	2.70E+00	1.04E+00	4.39E+00
Hog Bone	Sr-89/90	6	6	2.07E+00	7.68E-01	2.93E+00