



U.S. Department of Energy

Categorical Exclusion Determination Form

Submit by E-mail

Project Title: Saltstone Disposal Unit 6 Leak Detection Sump

Program or Field Office: Savannah River Site

Location(s) (City/County/State): Aiken/Aiken/South Carolina

Proposed Action or Project Description:

Saltstone Disposal Unit (SDU) 6 leak detection system is almost always in alarm due to ground / rainwater intrusion into the High Density Polyethylene (HDPE) liner around the perimeter of the SDU 6 foundation. Temporary modification SSF-TMC-18-003, SDU 6 East Leakage Detection Sump Dewatering Modification, has been installed to aid in the response. The Temporary Modification has proven to be effective, therefore, it is to be converted into a permanent design per Manual E7. Revision 2 incorporates an additional Temporary Modification to add piping to direct the SDU 6 East Sump contents back into SDU 6. Once in SDU 6 the liquid is combined with the drain and process water in SDU 6, which is transferred to the Saltstone Production Facility for treatment and subsequent disposal by installed pumps.

Categorical Exclusion(s) Applied:

B2.5 - Facility safety and environmental improvements

For the complete DOE National Environmental Policy Act regulations regarding categorical exclusions, including the full text of each categorical exclusion, see Subpart D of [10 CFR Part 1021](#).

- ☒ There are no extraordinary circumstances related to the proposal that may affect the significance of the environmental effects of the proposal.
- ☒ This proposal has not been segmented to meet the definition of a categorical exclusion. This proposal is not connected to other actions with potentially significant impacts (40 CFR 1508.25(a)(1)), is not related to other actions with individually insignificant but cumulatively significant impacts (40 CFR 1508.27(b)(7)), and is not precluded by 40 CFR 1506.1 or § 1021.211 concerning limitations on actions during preparation of an environmental impact statement.
- ☒ All of the conditions that are integral elements of the classes of actions in Appendix B to Subpart D of 10 CFR Part 1021 would be met. This proposal would not threaten a violation of applicable statutory, regulatory, or permit requirements for environment, safety, and health, or similar requirements of DOE or Executive Orders; require siting and construction or major expansion of waste storage, disposal, recovery, or treatment facilities (including incinerators), but the proposal may include categorically excluded waste storage, disposal, recovery, or treatment actions or facilities; disturb hazardous substances, pollutants, contaminants, or CERCLA-excluded petroleum and natural gas products that preexist in the environment such that there would be uncontrolled or unpermitted releases; have the potential to cause significant impacts on environmentally sensitive resources, including, but not limited to, those listed in paragraph B(4) of Appendix B to Subpart D of 10 CFR Part 1021; involve genetically engineered organisms, synthetic biology, governmentally designated noxious weeds, or invasive species, unless the proposed activity would be contained or confined in a manner designed and operated to prevent unauthorized release into the environment and conducted in accordance with applicable requirements.

Based on my review of information conveyed to me and in my possession (or attached) concerning the proposed action, as NEPA Compliance Officer (as authorized under DOE Order 451.1B), I have determined that the proposed action fits within the specified class(es) of action, the other regulatory requirements set forth above are met, and the proposed action is hereby categorically excluded from further NEPA review.

NEPA Compliance Officer: **Tracy Williams** Digitally signed by Tracy Williams
Date: 2022.07.06 08:44:46 -04'00'

Date Determined: 06/14/2022

Comments: LWO-Z-2020-0004, Rev. 2